



MANUAL WASHING MACHINE

IBERKLEEN  BELLATRIX




Experience, Innovation, Development,
QUALITY

Maintenance sector - Automotive parts washing
- Industrial mould washing Mechanical industry
- Aerospace industry 3D printing industry - Paint
industry - Electronics industry - Pharmaceutical
industry

IBERKLEEN 

Solutions for every need



Selector valves
Selector valves that allow to open or close the flushing liquid outlet through the flushing brush and/or the liquid outlet.



Blow gun
Blow gun with compressed air for blowing and drying of workpieces to be treated.



Washing brush
Washing brush with liquid outlet for manual washing of the parts to be treated.



Liquid outlet
Flexible hose that allows the washing liquid outlet to be directed.



Pump pedal
Foot pedal for pump control once activated on the control panel



Height adjustable feet
The machine stands on 4 height adjustable feet to level the machine.

Control panel

Simple to use mechanical control panel.
 Selector to switch on or off the wash pump.
 Selector to switch on or off the washing liquid heating.
 Display to set the washing temperature up to 60 °C,



Deposit

The tank has a capacity of 35 litres, capable of reaching 60°C thanks to the heating element.
 The pump suction filter is located inside the tank.




Working surface

The parts to be washed are placed on the work surface above the tank.
 Bellatrix is equipped with a washing brush through which the washing liquid can be blown out and an outlet for the washing liquid, as well as an air gun for blowing out the parts.



Dimensions:



TECHNICAL DATA			
	Bellatrix 700	Bellatrix 900	Bellatrix 1200
Dimensions	700x500 mm	900x600 mm	1200x600 mm
Tank capacity	35 litres	35 litres	35 litres
Carrying capacity	50 Kg	50 Kg	50 Kg
Power supply	220V - 1 PH - 50 Hz		
Heating power	2,50 Kw		
Washing brush	Included	Included	Included
Blow gun	Included	Included	Included
Water outlet	Included	Included	Included
Thermostat	0-60° C		
Pneumatic supply	6-8 bar		
Material	Aisi 430		
Packaging	950x650x1200 mm	950x650x1200 mm	1250x650x1200 mm



IBERKLEEN

Pol. Ind. Villayuda
C/ la Demanda S/N
Naves Azucarera, Nave C1
09007 - Burgos
ESPAÑA

Tel : +34 947 215 125

www.iberkleen.com
info@iberkleen.com

